

# Cleaneo Akustik 8/12/50 R



- D Cleaneo Akustik Platte
- GB Apertura  
Perforated Plasterboard
- F Cleaneo  
Design des plaques acoustiques
- I Cleaneo  
Design dei pannelli acustici
- E Cleaneo  
Placas Acústicas de diseño

**Versetzte Rundlochung R**  
**Alternate Perforation**  
**Perforation alternée**  
**Foratura circolare alternata R**  
**Perforación alternada R**

**8/12/50 R**

Lochbild, Perforation type  
 Disposition des perforations  
 Tipo di foratura, Tipo de perforación

**13,1%**

Lochflächenanteil, Ratio of perforation  
 Taux de perforation, Percentuale della superficie forata, % de perforación

**max. 1200 mm**

Standardbreite, Standard width,  
 Largeur standard, Larghezza standard,  
 Ancho standard

**2000 mm**

Standardlänge, Standard length  
 Longueur standard, Lunghezza standard  
 Longitud standard





**12,5 mm**


Plattendicke, Board thickness  
 Epaisseur des plaques,  
 Spessore delle lastre, Espesores

**8,5 kg/m<sup>2</sup>**

Gewicht, Weight, Poids, Peso

Maßstab, Scala, Echelle,  
 Scala, Escala  
**1:1**







# Cleaneo Akustik 6/18 R



|  |          |  |
|--|----------|--|
| <p>D Cleaneo Akustik Platte<br/>                 GB Apertura<br/>                 Perforated Plasterboard<br/>                 F Cleaneo<br/>                 Design des plaques acoustiques<br/>                 I Cleaneo<br/>                 Design dei pannelli acustici<br/>                 E Cleaneo<br/>                 Placas Acústicas de diseño</p> | ← X x 18 |  |
| <p><b>Gerade Rundlochung R</b><br/> <b>Regular Perforation</b><br/> <b>Perforation rectiligne</b><br/> <b>Foratura circolare regolare R</b><br/> <b>Perforación Rectilinea R</b></p>   |          |  |
| <p><b>6/18 R</b><br/>                 Lochbild, Perforation type<br/>                 Disposition des perforations<br/>                 Tipo di foratura, Tipo de perforación</p>  |          |  |
| <p><b>8,7%</b><br/>                 Lochflächenanteil, Ratio of perforation<br/>                 Taux de perforation, Percentuale della superficie forata, % de perforación</p>  |          |  |
| <p><b>max. 1188 mm</b><br/>                 Standardbreite, Standard width,<br/>                 Largeur standard, Larghezza standard,<br/>                 Ancho standard</p>   |          |  |
| <p><b>1998 mm</b><br/>                 Standardlänge, Standard length<br/>                 Longueur standard, Lunghezza standard<br/>                 Longitud standard</p>  |          |  |
| <p><b>12,5 mm</b><br/>                 Plattendicke, Board thickness<br/>                 Epaisseur des plaques,<br/>                 Spessore delle lastre, Espesores</p>   |          |  |
| <p><b>8,9 kg/m<sup>2</sup></b><br/>                 Gewicht, Weight, Poids, Peso</p>   |          |  |
| <p>Maßstab, Scala, Echelle,<br/>                 Scala, Escala<br/> <b>1:1</b></p>   |          |  |





# Cleaneo Akustik 10/23 R



- D Cleaneo Akustik Platte
- GB Apertura  
Perforated Plasterboard
- F Cleaneo  
Design des plaques acoustiques
- I Cleaneo  
Design dei pannelli acustici
- E Cleaneo  
Placas Acústicas de diseño

**Gerade Rundlochung R**  
**Regular Perforation**  
**Perforation rectiligne**  
**Foratura circolare rego-**  
**lare R**  
**Perforación Rectilinea R**

### 10/23 R

Lochbild, Perforation type  
 Disposition des perforations  
 Tipo di foratura, Tipo de perforación

### 14,8%

Lochflächenanteil, Ratio of perforation  
 Taux de perforation, Percentuale della  
 superficie forata, % de perforación

### max. 1196 mm

Standardbreite, Standard width,  
 Largeur standard, Larghezza standard,  
 Ancho standard

### 2001 mm

Standardlänge, Standard length  
 Longueur standard, Lunghezza standard  
 Longitud standard





### 12,5 mm


Plattendicke, Board thickness  
 Epaisseur des plaques,  
 Spessore delle lastre, Espesores

### 8,3 kg/m<sup>2</sup>

Gewicht, Weight, Poids, Peso

Maßstab, Scala, Echelle,  
 Scala, Escala  
**1:1**





# Cleaneo Akustik 12/25 R



- D Cleaneo Akustik Platte
- GB Apertura  
Perforated Plasterboard
- F Cleaneo  
Design des plaques acoustiques
- I Cleaneo  
Design dei pannelli acustici
- E Cleaneo  
Placas Acústicas de diseño

**Gerade Rundlochung R**  
**Regular Perforation**  
**Perforation rectiligne**  
**Foratura circolare rego-**  
**lare R**  
**Perforación Rectilinea R**

### 12/25 R

Lochbild, Perforation type  
 Disposition des perforations  
 Tipo di foratura, Tipo de perforación

### 18,1%

Lochflächenanteil, Ratio of perforation  
 Taux de perforation, Percentuale della  
 superficie forata, % de perforación

### max. 1200 mm

Standardbreite, Standard width,  
 Largeur standard, Larghezza standard,  
 Ancho standard

### 2000 mm

Standardlänge, Standard length  
 Longueur standard, Lunghezza standard  
 Longitud standard


### 12,5 mm


Plattendicke, Board thickness  
 Epaisseur des plaques,  
 Spessore delle lastre, Espesores

### 8,0 kg/m<sup>2</sup>

Gewicht, Weight, Poids, Peso

Maßstab, Scala, Echelle,  
 Scala, Escala  
**1:1**





# Cleaneo Akustik 15/30 R



- D Cleaneo Akustik Platte
- GB Apertura  
Perforated Plasterboard
- F Cleaneo  
Design des plaques acoustiques
- I Cleaneo  
Design dei pannelli acustici
- E Cleaneo  
Placas Acústicas de diseño

**Gerade Rundlochung R**  
**Regular Perforation**  
**Perforation rectiligne**  
**Foratura circolare rego-**  
**lare R**  
**Perforación Rectilinea R**

### 15/30 R

Lochbild, Perforation type  
 Disposition des perforations  
 Tipo di foratura, Tipo de perforación

### 19,6%

Lochflächenanteil, Ratio of perforation  
 Taux de perforation, Percentuale della  
 superficie forata, % de perforación

### max. 1200 mm

Standardbreite, Standard width,  
 Largeur standard, Larghezza standard,  
 Ancho standard

### 1980 mm

Standardlänge, Standard length  
 Longueur standard, Lunghezza standard  
 Longitud standard


### 12,5 mm

Plattendicke, Board thickness  
 Epaisseur des plaques,  
 Spessore delle lastre, Espesores

### 7,9 kg/m<sup>2</sup>

Gewicht, Weight, Poids, Peso

Maßstab, Scala, Echelle,  
 Scala, Escala  
**1:1**



# Cleaneo Akustik 12/20/66 R



- D Cleaneo Akustik Platte
- GB Apertura  
Perforated Plasterboard
- F Cleaneo  
Design des plaques acoustiques
- I Cleaneo  
Design dei pannelli acustici
- E Cleaneo  
Placas Acústicas de diseño

**Versetzte Rundlochung R**  
**Alternate Perforation**  
**Perforation alternée**  
**Foratura circolare alter-**  
**nata R**  
**Perforación alternada R**

**12/20/66 R**

Lochbild, Perforation type  
 Disposition des perforations  
 Tipo di foratura, Tipo de perforación

**19,6%**

Lochflächenanteil, Ratio of perforation  
 Taux de perforation, Percentuale della  
 superficie forata, % de perforación

**max. 1188 mm**

Standardbreite, Standard width,  
 Largeur standard, Larghezza standard,  
 Ancho standard

**1980 mm**

Standardlänge, Standard length  
 Longueur standard, Lunghezza standard  
 Longitud standard


**12,5 mm**


Plattendicke, Board thickness  
 Epaisseur des plaques,  
 Spessore delle lastre, Espesores

**7,9 kg/m<sup>2</sup>**

Gewicht, Weight, Poids, Peso

Maßstab, Scala, Echelle,  
 Scala, Escala  
**1:1**





# Cleaneo Akustik 8/18 Q



- D Cleaneo Akustik Platte
- GB Apertura  
Perforated Plasterboard
- F Cleaneo  
Design des plaques acoustiques
- I Cleaneo  
Design dei pannelli acustici
- E Cleaneo  
Placas Acústicas de diseño

**Gerade Quadratlochung Q**  
**Square Perforated**  
**Perforation carrée**  
**Foratura quadrata Q**  
**Perforación cuadrada Q**

### 8/18 Q

Lochbild, Perforation type  
 Disposition des perforations  
 Tipo di foratura, Tipo de perforación

### 19,8%

Lochflächenanteil, Ratio of perforation  
 Taux de perforation, Percentuale della  
 superficie forata, % de perforación

### max. 1188 mm

Standardbreite, Standard width,  
 Largeur standard, Larghezza standard,  
 Ancho standard

### 1998 mm

Standardlänge, Standard length  
 Longueur standard, Lunghezza standard  
 Longitud standard




### 12,5 mm


Plattendicke, Board thickness  
 Epaisseur des plaques,  
 Spessore delle lastre, Espesores

### 7,8 kg/m<sup>2</sup>

Gewicht, Weight, Poids, Peso

Maßstab, Scala, Echelle,  
 Scala, Escala  
**1:1**





# Cleaneo Akustik 12/25 Q



- D Cleaneo Akustik Platte
- GB Apertura Perforated Plasterboard
- F Cleaneo Design des plaques acoustiques
- I Cleaneo Design dei pannelli acustici
- E Cleaneo Placas Acústicas de diseño

**Gerade Quadratlochung Q**  
**Square Perforated**  
**Perforation carrée**  
**Foratura quadrata Q**  
**Perforación cuadrada Q**

**12/25 Q**

Lochbild, Perforation type  
Disposition des perforations  
Tipo di foratura, Tipo de perforación

**23,00%**

Lochflächenanteil, Ratio of perforation  
Taux de perforation, Percentuale della superficie forata, % de perforación

**max. 1200 mm**

Standardbreite, Standard width,  
Largeur standard, Larghezza standard,  
Ancho standard

**2000 mm**

Standardlänge, Standard length  
Longueur standard, Lunghezza standard  
Longitud standard





**12,5 mm**

Plattendicke, Board thickness  
Epaisseur des plaques,  
Spessore delle lastre, Espesores

**7,5 kg/m<sup>2</sup>**

Gewicht, Weight, Poids, Peso

Maßstab, Scala, Echelle,  
Scala, Escala  
**1:1**





# Cleaneo Akustik 8/15/20 R



- D Cleaneo Akustik Platte
- GB Apertura  
Perforated Plasterboard
- F Cleaneo  
Design des plaques acoustiques
- I Cleaneo  
Design dei pannelli acustici
- E Cleaneo  
Placas Acústicas de diseño

**Streulochung plus R**  
**Random Circular**  
**Perforation aléatoire**  
**Foratura circolare sparsa**  
**Plus R**  
**Perforación aleatoria plus R**

**8/15/20 R**

Lochbild, Perforation type  
Disposition des perforations  
Tipo di foratura, Tipo de perforación

**9,9%**

Lochflächenanteil, Ratio of perforation  
Taux de perforation, Percentuale della  
superficie forata, % de perforación

**max. 1200 mm**

Standardbreite, Standard width,  
Largeur standard, Larghezza standard,  
Ancho standard

**1875 mm oder 2500 mm**

Standardlänge, Standard length  
Longueur standard, Lunghezza standard  
Longitud standard


**12,5 mm**


Plattendicke, Board thickness  
Epaisseur des plaques,  
Spessore delle lastre, Espesores

**8,8 kg/m<sup>2</sup>**

Gewicht, Weight, Poids, Peso

Maßstab, Scala, Echelle,  
Scala, Escala  
**1:1**





# Cleaneo Akustik 8/18 R



- D Cleaneo Akustik Platte
- GB Apertura  
Perforated Plasterboard
- F Cleaneo  
Design des plaques acoustiques
- I Cleaneo  
Design dei pannelli acustici
- E Cleaneo  
Placas Acústicas de diseño

**Gerade Rundlochung R**  
**Regular Perforation**  
**Perforation rectiligne**  
**Foratura circolare regolare R**  
**Perforación Rectilinea R**

### 8/18 R

Lochbild, Perforation type  
 Disposition des perforations  
 Tipo di foratura, Tipo de perforación

### 15,5%

Lochflächenanteil, Ratio of perforation  
 Taux de perforation, Percentuale della superficie forata, % de perforación

### max. 1188 mm

Standardbreite, Standard width,  
 Largeur standard, Larghezza standard,  
 Ancho standard

### 1998 mm

Standardlänge, Standard length  
 Longueur standard, Lunghezza standard  
 Longitud standard



### 12,5 mm

Plattendicke, Board thickness  
 Epaisseur des plaques,  
 Spessore delle lastre, Espesores

### 8,3 kg/m<sup>2</sup>

Gewicht, Weight, Poids, Peso



Maßstab, Scala, Echelle,  
 Scala, Escala  
**1:1**



# Cleaneo Akustik 12/20/35 R



- D Cleaneo Akustik Platte
- GB Apertura  
Perforated Plasterboard
- F Cleaneo  
Design des plaques acoustiques
- I Cleaneo  
Design dei pannelli acustici
- E Cleaneo  
Placas Acústicas de diseño



**Streulochung plus R**  
**Random Circular**  
**Perforation aléatoire**  
**Foratura circolare sparsa**  
**Plus R**  
**Perforación aleatoria plus R**

## 12/20/35 R

Lochbild, Perforation type  
Disposition des perforations  
Tipo di foratura, Tipo de perforación

## 9,8%

Lochflächenanteil, Ratio of perforation  
Taux de perforation, Percentuale della  
superficie forata, % de perforación

## max. 1200 mm

Standardbreite, Standard width,  
Largeur standard, Larghezza standard,  
Ancho standard

## 1875 mm oder 2500 mm

Standardlänge, Standard length  
Longueur standard, Lunghezza standard  
Longitud standard


## 12,5 mm

Plattendicke, Board thickness  
Epaisseur des plaques,  
Spessore delle lastre, Espesores

## 8,8 kg/m<sup>2</sup>

Gewicht, Weight, Poids, Peso

Maßstab, Scala, Echelle,  
Scala, Escala  
**1:1**



# Cleaneo Akustik Blockschlitzung "slotline" B4/B5/B6



- D Cleaneo Akustik Platte
- GB Apertura  
Perforated Plasterboard
- F Cleaneo  
Design des plaques acoustiques
- I Cleaneo  
Design dei pannelli acustici
- E Cleaneo  
Placas Acústicas de diseño

**Blockschlitzung slotline**  
**Slotted Perforation slotline**  
**Perforation en rainure**  
**Slotline**  
**Ranura slotline**

**B4/B5/B6**

Lochbild, Perforation type  
Disposition des perforations  
Tipo di foratura, Tipo de perforación

**B4: 13,7%, B5: 10,9%, B6: 15,7%**

Lochflächenanteil, Ratio of perforation  
Taux de perforation, Percentuale della  
superficie forata, % de perforación

**max. 1200 mm**

Standardbreite, Standard width,  
Largeur standard, Larghezza standard,  
Ancho standard

**2400 mm**

Standardlänge, Standard length  
Longueur standard, Lunghezza standard  
Longitud standard

**12,5 mm**

Plattendicke, Board thickness  
Epaisseur des plaques,  
Spessore delle lastre, Espesores

**slotline B4 8,8 kg/m<sup>2</sup>**



**slotline B5 9,2 kg/m<sup>2</sup>**

**slotline B6 8,6 kg/m<sup>2</sup>**


Gewicht, Weight, Poids, Peso

Maßstab, Scala, Echelle,  
Scala, Escala


**1:1**



slotline B4



slotline B5



slotline B6

# Cleaneo Akustik Blocklochung

## Design B4/B5/B6



- D Cleaneo Akustik Platte
- GB Apertura  
Perforated Plasterboard
- F Cleaneo  
Design des plaques acoustiques
- I Cleaneo  
Design dei pannelli acustici
- E Cleaneo  
Placas Acústicas de diseño

**Blocklochung**  
**Slotted Perforation slotline**  
**Perforations rondes**  
**Perforazione a blocchi**  
**En bloque slotline**

**8/18 R; 12/25 R; 12/25 Q**

Lochbild, Perforation type  
 Disposition des perforations  
 Tipo di foratura, Tipo de perforación

|     | 8/18 R | 12/25 R | 12/25 Q |
|-----|--------|---------|---------|
| B4: | 12,1 % | 11,3 %  | 14,4 %  |
| B5: | 9,1 %  | 6,2 %   | 7,8 %   |
| B6: | 12,9 % | 12,8 %  | 16,3 %  |

Lochflächenanteil, Ratio of perforation  
 Taux de perforation, Percentuale della  
 superficie forata, % de perforación

**1200 mm, 1224 mm**

Standardbreite, Standard width,  
 Largeur standard, Larghezza standard,  
 Ancho standard

**2400 mm, 2448 mm**

Standardlänge, Standard length  
 Longueur standard, Lunghezza standard  
 Longitud standard



**12,5 mm**

Plattendicke, Board thickness  
 Epaisseur des plaques,  
 Spessore delle lastre, Espesores


**ca. 9,0 kg/m<sup>2</sup>**

Gewicht, Weight, Poids, Peso

Maßstab, Scala, Echelle,  
 Scala, Escala **1:1**



Design B4



Design B5



Design B6